ELSEVIER

Gene 177 (1996) 277–279

GENE
AN INTERNATIONAL JOURNAL ON GENES AND GENOMES

Author Index

Akbar, S. and Price, C.W.
Isolation and characterization of *csbB*, a gene controlled by *Bacillus subtilis* general stress transcription factor σ^B (177) 123
Antoine, G., Scheiflinger, F., Holzer, G., Langmann, T., Falkner, F.G. and Dorner, F.
Characterization of the vaccinia MVA hemagglutinin gene locus and its evaluation as an insertion site for foreign genes (177) 43
Arraiano, C.M., see Cruz, A.A. (177) 223

Beauregard, K., see Southworth, M.W. (177) 55
Bender, C.L., see Sundin, G.W. (177) 77
Bennett, G.N., see Fedorova, N.D. (177) 267
Bertoldo, C., see Porcelli, M. (177) 17
Birch, A., see Leiser, A. (177) 217
Both, G.W., see Vrati, S. (177) 35
Boyle, D.B., see Vrati, S. (177) 35
Branzoni, M., see Gusberti, L. (177) 83
Brookes, D.E., see Vrati, S. (177) 35
Brüggemann, M., see Popov, A.V. (177) 195
Bruton, C.J., see Schneider, D. (177) 243
Bützler, C., see Popov, A.V. (177) 195

Cacciapuoti, G., see Porcelli, M. (177) 17
Cantoni, R., see Gusberti, L. (177) 83
Carter, R., see Doerig, C.M. (177) 1
Chajut, A., Gazit, A. and Yaniv, A.
The turkey c-*rap*1A proto-oncogene is expressed via two distinct promoters (177) 7
Chang, T.-j., see Hsiang, C.-y. (177) 109
Chater, K.F., see Schneider, D. (177) 243
Chen, N., Upcroft, J.A. and Upcroft, P.
A novel protein kinase gene family in *Giardia duodenalis* (177) 191
Coll, A., see Folch, J.M. (177) 87
Cregg, J.M., see Raschke, W.C. (177) 163
Cruz, A.A., Newbury, S.F. and Arraiano, C.M.
Degradation products of the cytochrome c_3 mRNA are similar in *Desulfovibrio vulgaris* Hildenborough and *Escherichia coli* (177) 223

Das, T.K., see Tyagi, J.S. (177) 59
Datukishvili, N., Pokholok, D., Lottspeich, F., Prangishvili, D. and Rechinsky, V.
The DNA polymerase-encoding gene from a thermoacidophilic archaeon *Sulfolobus acidocaldarius* (177) 271
Deane, S.M. and Rawlings, D.E.
Cloning and sequencing of the gene for the *Thiobacillus ferrooxidans* ATCC33020 glutamate synthase (GOGAT) small subunit and complementation of an *Escherichia coli gltD* mutant (177) 261
De la Morena, M.L., Hendrixson, D.R. and St. Geme, J.W., III
Isolation and characterization of the *Haemophilus influenzae uvrA* gene (177) 23
De Rosa, M., see Porcelli, M. (177) 17
De Rossi, E., see Gusberti, L. (177) 83
Dickson, R.C., see Nagiec, M.M. (177) 237
Dikshit, K.L., see Navani, N.K. (177) 265
Doerig, C.D., see Doerig, C.M. (177) 1
Doerig, C.M., Parzy, D., Langsley, G., Horrocks, P., Carter, R. and Doerig, C.D.
A MAP kinase homologue from the human malaria parasite, *Plasmodium falciparum* (177) 1
Dorner, F., see Antoine, G. (177) 43
Driscoll, J., Duan, C., Zuo, Y., Xu, T., Troxler, R. and Oppenheim, F.G.
Candidacidal activity of human salivary histatin recombinant variants produced by site-directed mutagenesis (177) 29
Duan, C., see Driscoll, J. (177) 29
Dykxhoorn, D.M., St. Pierre, R. and Linn, T.
A set of compatible *tac* promoter expression vectors (177) 133

Einaga, K., see Okabayashi, K. (177) 69
Esposito, R.E., see Tevzadze, G.G. (177) 253

Falkner, F.G., see Antoine, G. (177) 43
Fedorova, N.D., Peredelchuk, M.Y., Kirpichnikov, M.P. and Bennett, G.N.
Escherichia coli strain for thermoinducible T7 RNA polymerase-driven expression (177) 267
Firth, S., see Wang, L. (177) 155
Folch, J.M., Coll, A., Hayes, H.C. and Sànchez, A.
Characterization of a caprine β-lactoglobulin pseudogene, identification and chromosomal localization by in situ hybridization in goat, sheep and cow (177) 87
Franklin, J.L. and Mosig, G.
Expression of the bacteriophage T4 DNA terminase genes *16* and *17* yields multiple proteins (177) 179
Frippiat, J.-P., see Popov, A.V. (177) 195
Fuhrman, J.A., see Southworth, M.W. (177) 55
Fujikawa, K., see Okabayashi, K. (177) 69
Fusco, S., see Porcelli, M. (177) 17

Gazit, A., see Chajut, A. (177) 7
Gertman, E., see Sharp, R. (177) 47
Goitsuka, R., see Kato, H. (177) 11
Graw, J., see Krausz, E. (177) 99
Gupta, S., see Ramesh, K.H. (177) 169
Gusberti, L., Cantoni, R., De Rossi, E., Branzoni, M. and Riccardi, G.
Cloning and sequencing of the *ilvBNC* gene cluster from *Mycobacterium avium* (177) 83

Hagman, K.E., see Porcella, S.F. (177) 115
Hasegawa, A., see Kato, H. (177) 11
Hayakawa, T., Xu, J. and Hukuhara, T.
Cloning and sequencing of the gene for an enhancing factor from *Pseudaletia separata* entomopoxvirus (177) 269
Hayes, H.C., see Folch, J.M. (177) 87
Hayman, M.J., see Park, C.Y. (177) 93
He, L., see Zhou, Y. (177) 257
Hendricks, M., see Raschke, W.C. (177) 163
Hendrixson, D.R., see De la Morena, M.L. (177) 23
Hirama, M., see Okabayashi, K. (177) 69
Ho, T.-y., see Hsiang, C.-y. (177) 109
Holmes, I.H., see Wang, L. (177) 155

Holzer, G., see Antoine, G. (177) 43
Hong, H.J., see Kim, H.S. (177) 173
Horrocks, P., see Doerig, C.M. (177) 1
Howells, A.J., see Warren, W.D. (177) 149
Hsiang, C.-y., Ho, T.-y. and Chang, T.-j.
Identification of a pseudorabies virus *UL12 (deoxyribonuclease)* gene (177) 109
Huang, J.-a., see Wang, L. (177) 155
Hukuhara, T., see Hayakawa, T. (177) 269

Jansons, I.S., see Sharp, R. (177) 47
Joshi, M.A., see Navani, N.K. (177) 265

Kato, H., Youn, H.-Y., Ohashi, T., Watari, T., Goitsuka, R., Tsujimoto, H. and Hasegawa, A.
Identification of an alternatively spliced transcript of equine interleukin-1β (177) 11
Kidambi, S.P., see Sundin, G.W. (177) 77
Kim, H.S., Kim, Y.K., Ryu, S.-E. and Hong, H.J.
Production of hepatitis B virus preS polypeptide in *Escherichia coli* by mutation of the 5′-end coding sequence and its purification and characterization (177) 173
Kim, Y.K., see Kim, H.S. (177) 173
Kinger, A.K., see Tyagi, J.S. (177) 59
Kirpichnikov, M.P., see Fedorova, N.D. (177) 267
Kopchick, J.J., see Zhou, Y. (177) 257
Krausz, E. and Graw, J.
A new *cat* reporter gene vector designed for rapid and efficient cloning of PCR products (177) 99
Kropinski, A.M., see Sharp, R. (177) 47

LaMontagne, K.R., see Park, C.Y. (177) 93
Langmann, T., see Antoine, G. (177) 43
Langsley, G., see Doerig, C.M. (177) 1
Lefranc, M.-P., see Popov, A.V. (177) 195
Leiser, A., Birch, A. and Robinson, J.A.
Cloning, sequencing, overexpression in *Escherichia coli*, and inactivation of the valine dehydrogenase gene in the polyether antibiotic producer *Streptomyces cinnamonensis* (177) 217
Lester, R.L., see Nagiec, M.M. (177) 237
Linn, T., see Dykxhoorn, D.M. (177) 133
Lottspeich, F., see Datukishvili, N. (177) 271
Lütticken, R., see Podbielski, A. (177) 137

Malumbres, M., see Oguiza, J.A. (177) 103
Marcos, A.T., see Oguiza, J.A. (177) 103
Martín, J.F., see Oguiza, J.A. (177) 103
McFarlane, R.J. and Saunders, J.R.
Molecular mechanisms of intramolecular recombination-dependent recircularization of linearized plasmid DNA in *Escherichia coli*: requirements for the *ruvA*, *ruvB*, *recG*, *recF* and *recR* gene products (177) 209
Memisoglu, A. and Samson, L.
Cloning and characterization of a cDNA encoding a 3-methyladenine DNA glycosylase from the fission yeast *Schizosaccharomyces pombe* (177) 229
Moran, C.P., Jr., see Seyler, R.W. (177) 129
Morita, M., see Okabayashi, K. (177) 69
Mosig, G., see Franklin, J.L. (177) 179
Mushegian, A.R., see Tevzadze, G.G. (177) 253

Nagiec, M.M., Lester, R.L. and Dickson, R.C.
Sphingolipid synthesis: identification and characterization of mammalian cDNAs encoding the Lcb2 subunit of serine palmitoyltransferase (177) 237
Navani, N.K., Joshi, M.A. and Dikshit, K.L.
Genetic transformation of *Vitreoscilla* sp. (177) 265
Neiditch, B.R., see Raschke, W.C. (177) 163
Newbury, S.F., see Cruz, A.A. (177) 223
Norgard, M.V., see Porcella, S.F. (177) 115

Oguiza, J.A., Marcos, A.T., Malumbres, M. and Martín, J.F.
The *galE* gene encoding the UDP-galactose 4-epimerase of *Brevibacterium lactofermentum* is coupled transcriptionally to the *dmdR* gene (177) 103
Ohashi, T., see Kato, H. (177) 11
Okabayashi, K., Tsujikawa, M., Morita, M., Einaga, K., Tanaka, K., Tanabe, T., Yamanouchi, K., Hirama, M., Tait, J.F. and Fujikawa, K.
Secretory production of recombinant urokinase-type plasminogen activator-annexin V chimeras in *Pichia pastoris* (177) 69
Oppenheim, F.G., see Driscoll, J. (177) 29

Park, C.Y., LaMontagne, K.R., Tonks, N.K. and Hayman, M.J.
Cloning and expression of the chicken protein tyrosine phosphatase SH-PTP2 (177) 93
Park, S.G. and Yudkin, M.D.
Nucleotide sequence of the *Bacillus coagulans* homologue of the *spoIIA* operon of *Bacillus subtilis* (177) 275
Parzy, D., see Doerig, C.M. (177) 1
Penn, C.W., see Porcella, S.F. (177) 115
Peredelchuk, M.Y., see Fedorova, N.D. (177) 267
Perler, F.B., see Southworth, M.W. (177) 55
Phelps, A., see Wang, L. (177) 155
Phillips, A.M., see Warren, W.D. (177) 149
Podbielski, A., Spellerberg, B., Woischnik, M., Pohl, B. and Lütticken, R.
Novel series of plasmid vectors for gene inactivation and expression analysis in group A streptococci (GAS) (177) 137
Pohl, B., see Podbielski, A. (177) 137
Pokholok, D., see Datukishvili, N. (177) 271
Popov, A.V., Bützler, C., Frippiat, J.-P., Lefranc, M.-P. and Brüggemann, M.
Assembly and extension of yeast artificial chromosomes to build up a large locus (177) 195
Popova, T.G., see Porcella, S.F. (177) 115
Porcella, S.F., Popova, T.G., Hagman, K.E., Penn, C.W., Radolf, J.D. and Norgard, M.V.
A *mgl*-like operon in *Treponema pallidum*, the syphilis spirochete (177) 115
Porcelli, M., Cacciapuoti, G., Fusco, S., Bertoldo, C., De Rosa, M. and Zappia, V.
Cloning and sequencing of the gene coding for *S*-adenosylhomocysteine hydrolase in the thermophilic archaeon *Sulfolobus solfataricus* (177) 17
Prangishvili, D., see Datukishvili, N. (177) 271
Price, C.W., see Akbar, S. (177) 123
Pysh, L.D. and Schmidt, R.J.
Characterization of the maize *OHP1* gene: evidence of gene copy variability among inbreds (177) 203

Radolf, J.D., see Porcella, S.F. (177) 115
Ramesh, K.H., Gupta, S. and Verma, R.S.
Assignment of human *MYCN* proto-oncogene to chromosome band *12q24* in higher primates (177) 169
Raschke, W.C., Neiditch, B.R., Hendricks, M. and Cregg, J.M.
Inducible expression of a heterologous protein in *Hansenula polymorpha* using the alcohol oxidase 1 promoter of *Pichia pastoris* (177) 163
Rawlings, D.E., see Deane, S.M. (177) 261
Rechinsky, V., see Datukishvili, N. (177) 271
Reeves, P.R., see Wang, L. (177) 155
Riccardi, G., see Gusberti, L. (177) 83
Robbins, P.W., see Southworth, M.W. (177) 55

Robinson, J.A., see Leiser, A. (177) 217
Ryu, S.-E., see Kim, H.S. (177) 173

Samson, L., see Memisoglu, A. (177) 229
Sànchez, A., see Folch, J.M. (177) 87
Saunders, J.R., see McFarlane, R.J. (177) 209
Scheiflinger, F., see Antoine, G. (177) 43
Schmidt, R.J., see Pysh, L.D. (177) 203
Schneider, D., Bruton, C.J. and Chater, K.F.
Characterization of *spaA*, a *Streptomyces coelicolor* gene homologous to a gene involved in sensing starvation in *Escherichia coli* (177) 243
Seyler, R.W., Jr. and Moran, C.P., Jr.
Potassium permanganate susceptibility of σ^E-RNA polymerase-promoter complexes (177) 129
Sharp, R., Jansons, I.S., Gertman, E. and Kropinski, A.M.
Genetic and sequence analysis of the *cos* region of the temperate *Pseudomonas aeruginosa* bacteriophage, D3 (177) 47
Southworth, M.W., Fuhrman, J.A., Robbins, P.W., Beauregard, K. and Perler, F.B.
Gene cloning and production of active recombinant *Brugia malayi* microfilarial chitinase (177) 55
Spellerberg, B., see Podbielski, A. (177) 137
St. Geme, J.W., III, see De la Morena, M.L. (177) 23
St. Pierre, R., see Dykxhoorn, D.M. (177) 133
Sundin, G.W., Kidambi, S.P., Ullrich, M. and Bender, C.L.
Resistance to ultraviolet light in *Pseudomonas syringae*: sequence and functional analysis of the plasmid-encoded *rulAB* genes (177) 77

Tait, J.F., see Okabayashi, K. (177) 69
Tanabe, T., see Okabayashi, K. (177) 69
Tanaka, K., see Okabayashi, K. (177) 69
Tevzadze, G.G., Mushegian, A.R. and Esposito, R.E.
The *SPO1* gene product required for meiosis in yeast has a high similarity to phospholipase B enzymes (177) 253
Tonks, N.K., see Park, C.Y. (177) 93
Troxler, R., see Driscoll, J. (177) 29
Tsujikawa, M., see Okabayashi, K. (177) 69
Tsujimoto, H., see Kato, H. (177) 11
Tyagi, J.S., Das, T.K. and Kinger, A.K.
An *M. tuberculosis* DNA fragment contains genes encoding cell division proteins ftsX and ftsE, a basic protein and homologues of PemK and Small protein B (177) 59

Ullrich, M., see Sundin, G.W. (177) 77
Upcroft, J.A., see Chen, N. (177) 191
Upcroft, P., see Chen, N. (177) 191

Verma, R.S., see Ramesh, K.H. (177) 169
Vrati, S., Brookes, D.E., Boyle, D.B. and Both, G.W.
Nucleotide sequence of ovine adenovirus tripartite leader sequence and homologues of the IVa2, DNA polymerase and terminal proteins (177) 35

Wang, L., Huang, J.-a., Phelps, A., Firth, S., Holmes, I.H. and Reeves, P.R.
Periplasmic expression of part of the major rotavirus capsid protein VP7 containing all the three antigenic regions in *Escherichia coli* (177) 155
Warren, W.D., Phillips, A.M. and Howells, A.J.
Drosophila melanogaster contains both X-linked and autosomal homologues of the gene encoding calcineurin B (177) 149
Watari, T., see Kato, H. (177) 11
Woischnik, M., see Podbielski, A. (177) 137

Xu, J., see Hayakawa, T. (177) 269
Xu, T., see Driscoll, J. (177) 29

Yamanouchi, K., see Okabayashi, K. (177) 69
Yaniv, A., see Chajut, A. (177) 7
Youn, H.-Y., see Kato, H. (177) 11
Yudkin, M.D., see Park, S.G. (177) 275

Zappia, V., see Porcelli, M. (177) 17
Zhou, Y., He, L. and Kopchick, J.J.
Structural comparison of a portion of the rat and mouse growth hormone receptor/binding protein genes (177) 257
Zuo, Y., see Driscoll, J. (177) 29